



Aluminium Iron alloy AlFe20

1. Properties & Application:

(1). Iron content: 18~22%. Used for the Fe element additive of aluminum alloys in the course of smelting. Low using temperature, accurate controlling composition.

2. Operation Technology Suggestion:

(1). Temperature: 720~760℃

(2). Dosage: According to calculating and experimental results.

(3). Method: Skimming off the dross and put AlFe20 into the molten Al, stirring the molten to homogenate, keep the molten Al static for 5~10 minutes.

3. Package and Storage:

Appearance: White metal nuggets 250-300g each or waffle about 7.5kg each

Keep dry and ventilated.

上海办 Shanghai Office

上海市浦东新区牡丹路 89 弄 4 号 602 室
R602,4#,89Nong, Mudan Road Pudong
Shanghai, China
Tel: 0086 21 6845 1592
Fax: 0086 21 6845 0923
fluorine@tatichem.com

...www.mintchem.com...

长沙办 Changsha Office

长沙市劳动西路 108 号长沙市化工研究所 HX 楼 707 室
HX707,108# Laodong Road West Changsha,
Hunan,China
Tel: 0086 731 85518147 8551 8261
Fax: 0086 731 8551 8167/ 8553 0767
fluorine@tatichem.com