



Mn75,Mn80 tablet

1. Properties & Application:

(1). Apply to the Mn element addition of aluminum and other alloys, replacing Al-Mn master alloys.

(2). Manganese content: 75% or 80%. Put directly into the molten metal at normal smelting temperature, melts quickly (<3 minutes), the Mn element recovery $\geq 95\%$.

2. Operation Technology Suggestion:

(1). Temperature: 720~760°C

(2). Dosage: According to calculating and experimental results..

(3). Method: Skim off the dross and plunge Mn75 into the molten metal, stir the melt to homogenate after the reaction finish, keep the molten metal static for 15~20 minutes.

3. Package and Storage:

Appearance: Dull gray tablet.

500g/tablet, 20kg/carton.

Keep dry and ventilated.

4. Period of validity:

Six months.